

()

	1 low	2 medum	3 high	4 type
58	1	3.5	7	ok
59	1	4	8	ok
60	1	3.5	6.5	ok
61	0.5	4	8	ok
62	0.5	3.5	6.5	ok
63	2	3.5	8	virus
64	1	4	9	virus
65	2	5	8	virus
66	1	5	10	virus
67	2	4	10	virus

63.

30 (5).

SVM [5],

79,1 %

1. Android- 2015 . URL: http://www.comss.info/page.php?al=Obzor_virusnoj_aktivnosti_dlja_Android_ustrojstv_v_mae_2015_goda (: 01.06.2015)
2. . URL: <http://habrahabr.ru/post/105220/> (: 10.06.2015)
3. Christopher M. Bishop. Pattern recognition and machine learning. Springer, 2006 – 356 c.
4. . URL: <http://www.ccas.ru/voron/download/SVM.pdf> (: 23.06.2015)
5. . URL: <http://www.statistica.ru/local-portals/data-mining/primenenie-metoda-opornyx-vektorov/> (: 10.04.2015)
6. Vapnik V.N. Statistical Learning Theory. New York: Viley, 1998 – 623 c.
7. Vapnik V.N. The Nature of Statistical Learning Theory. Springer-Verlag, 1995 – 135 c.

©, 2015

-mail: ramzes2680@mail.ru

-mail: karmai@bk.ru

(. . .),
 « »
 ;
 2295370, . 20.03.07, 62 3/00.

1. 22 2008 123- 3
2. 12.1.004-91* « ».
3. 104-03.
4. 88-2001*.
5. : 2004.

© . . . , 2015

Keniyz Nadezhda Viktorovna
 cand.tech.sci., senior lecturer, Kuban State Agrarian University
Nesterenko Anton Alekseevich
 cand.tech.sci. the senior teacher, Kuban State Agrarian University
 Krasnodar, Russia

STIMULATING GROWTH OF STARTER CULTURES OF RAW SAUSAGES

Abstract

Activation of starter cultures in cold smoked sausage production is one of the most significant technological approaches which allows speeding up fermentation and decreasing the time for air drying of cold smoked sausages. During the research and experimental findings it is confirmed that the activation of starter cultures can be reached by using electromagnetic treatment.